


Seeing is Believing

GLW Foot & Ankle



Precision Cutting



The three aggressive cutting flutes of the screw tip are designed to deliver maximum compression¹ with minimum torque. Superior cutting geometry delivers optimal bone chip displacement, reduces insertion force, and requires no predrilling.²



Data on file


²For Ø7.4mm screw minimized predrilling recommended.




Largest Screw Cannulation

With the largest cannulation and k-wire diameter per screw size on the market, Creed screws are easily inserted using low torque. The larger k-wire, combined with "Stinger Tip" technology, results in a more precise screw insertion trajectory.

Headed	Headless	Ø Screw Size	Ø Screw Cannulation	Ø K-wire Size
		Ø2.5mm	Ø1.4mm	Ø1.3mm
0		Ø4.3mm	Ø2.15mm	Ø2.0mm
		Ø5.6mm	Ø2.9mm	Ø2.8mm
0		Ø7.4mm	Ø3.3mm	Ø3.2mm



Versatile Cannulated Implant System





170 Screw Variations

Headless Screws 85 Headed

Headed Screws 4x
Various

Diameters

Thread Lengths


Sterile, Disposable Instrument Kits

Single-use






Small Instrument Kit



Large Instrument Kit







^{*}For headed screw configurations only.





Scan for more product information

CAUTION: Federal (USA) law restricts this device to sale by or on the order of a surgeon. Rx only.

GLW, Inc, GLW Medical Innovation, and Creed are trademarks of GLW, Inc. Innov8ortho is the exclusive distributor of Creed Ortholucent Implants.

www.glwmed.com

© 2023 GLW, Inc. All rights reserved. Patents: www.glwmed.com/patents/



GLW, Inc. 300 Sylvan Ave, 2nd Floor Englewood Cliffs, NJ 07632



Distributed by:

Innov8ortho, LLC 300 Sylvan Ave, 2nd Floor Englewood Cliffs, NJ 07632 custsvc@innov8ortho.com

Ref: CRE-BRO-06-22-EN